



UP ON THE GREEN ROOF The LiveRoof Maxx module is designed for green roofs with soil depths up to 8 inches. The Soil Elevator, a removable insert, lines the inside of modules so soil can be filled above the top. When the inserts are removed, a continuous layer of soil and vegetation extends across the roof. **Live Roof • www.liveroof.com**


NOW HEAR THIS

The new B3000 communication badge features enhanced durability, audio quality and speech recognition. The unit features four microphones and integrated acoustic noise reduction to deliver high-quality communication.

Vocera
www.vocera.com



SERENE SCENE SkyV is a calming digital virtual skylight presenting hours of ultra high-definition sequences synchronized in a triple-screen system. High definition is delivered to each LED monitor for 3,240 x 1,920-pixel resolution. **The Sky Factory**
www.theskyfactory.com



STAYING INFORMED Bigfoot maintenance management software displays information such as where additional resources are required or need to be shifted to optimize maintenance, overdue work orders and asset life-cycle analysis on equipment and systems.

Smartware Group • www.bigfootcmms.com

» ON OUR RADAR «

SOLUTIONS » CLEANING

QUICK ACTION DisCide Ultra Disinfecting Towelettes are an alcohol disinfectant wipe with a one-minute or less kill time for most organisms. The one-step disposable wipes are infused with a dual-chain quaternary ammonium/high-level alcohol solution that kills 17 major organisms, including MRSA, on hard, nonporous surfaces.

Ecolab • www.ecolabhealthcare.com



SIMPLE SYSTEM The Kimtech WetTask system consists of a roll of dry prep wipes to be placed in a large bucket or small canister dispenser. Add a disinfecting solution such as quaternary amines or bleach to the container to be absorbed by the wipes and they are ready to use. The system reduces cross-contamination risks.

Kimberly-Clark
www.kimberly-clark.com




GREEN CLEAN The HYGEN Clean Water System features a unique water filter integrated into the mop bucket to generate clean water, resulting in a cleaner mop and floor. The integrated water filter improves cost and sustainability by reducing water and chemical usage and increasing productivity.

Rubbermaid Commercial Products • www.rubbermaidcommercial.com



EASY RIDER The SC3000 compact rider scrubber features a 26-inch cleaning path and patented scrub deck. It provides user-friendly, maneuverable operation in multiple cleaning areas, including those with limited access or tight corners. One-touch Quiet Mode operation allows use in noise-sensitive areas. The EcoFlex System permits easy control of water, detergent and energy.

Advance • www.advance-us.com



LIGHTING THE WAY The Sierra extruded aluminum wall light fixture extends less than 3 inches from the wall and is designed for patient rooms, corridors and stairways. A sloping top lens allows for optimal light distribution. The unit is polyester powder coated after fabrication with flat white or designer white antimicrobial finish. **Healthcare Lighting • www.healthcare-lighting.com**



GET A GRIP ON IT

The ADA-compliant LED IllumaGrip assist handle provides required support in bathroom and bedside applications for the health care environment while featuring needed illumination. The dual functionality of the product directly targets patient safety, visibility and support. Length and LED color options make the product customizable for a variety of installations.

elio • www.elio-itc.com




STURDY UNIT Designed as a parking light, the Wallpack's housing is two-piece, cast-aluminum sealed with a silicone gasket and secured with lock-up screws. The induction, high-frequency electronic ballast has an input voltage range of 120 volts to 277 volts. The electrodeless fluorescent lamp has an average rated life of 100,000 hours.

Eco Lighting Solutions
www.ecolightingsolutions.com



HIGH STYLE The A110 pendant lamp is made of white lacquered aluminum and has a white plastic cable. It is available with a decorative polished brass ring or white painted ring. The light fixture's plug can be designed for use with either a compact fluorescent or incandescent bulb. The lamp also is offered in black.

Artek • www.artek.fi/company




WHEEL DEAL Field-assembled cassettes reduce installation times and costs when replacing large, energy-recovery ventilation wheels. Cassettes are factory-built, tested, marked for reassembly, and then disassembled for shipment. It recycles up to 80 percent of heating and cooling energy in exhaust air. **Airxchange • www.airxchange.com**



SOFT TOUCH The Tracer UC600 programmable controller now features a unique user-friendly touch screen to improve operator efficiency and productivity. The Tracer TD7 is a 7-inch diagonal color touch screen for both indoor and outdoor use. The unit is designed to work with the Tracer SC Web-based system controller and third-party BACnet MS/TP systems.

Trane • www.trane.com



SMOOTH OPERATION The enhanced line of Apogee and Talon building automation systems includes BACnet Web-based remote system monitoring, commanding, alarm management, scheduling and trending functions. The BACnet enhancements improve operator efficiency with browser-based Internet system access and control. **Siemens • www.siemens.com/Industry**



PACKS A PUNCH

The R2-series heat recovery system is available in 208/230-volt or 460-volt 3-phase units and has an outdoor temperature range of -4 to 60 degrees Fahrenheit when heating and 23 to 115 degrees Fahrenheit when cooling.

Mitsubishi Electric Cooling and Heating
www.mitsubishiipro.com